

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/662,504	09/15/2003	Milton Scott Nesin		9183	
75	90 08/30/2005		EXAMINER		
Mr. M. Scott Nesin			WEAVER, SUE A		
9500 Live Oak Court Manvel, TX 77578			ART UNIT	PAPER NUMBER	
•			3727		
		DATE MAILED, 09/20/200	•		

Please find below and/or attached an Office communication concerning this application or proceeding.

		$\boldsymbol{\ell}$
	Application No.	Applicant(s)
	10/662,504	NESIN, MILTON SCOTT
Office Action Summary	Examiner	Art Unit
	Sue A. Weaver	3727
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the o	correspondence address -
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reg. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tirply within the statutory minimum of thirty (30) day d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	nely filed rs will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on	<u> </u>	•
2a) This action is FINAL . 2b) ☑ Thi	is action is non-final.	
3) Since this application is in condition for allows closed in accordance with the practice under	•	
Disposition of Claims		
4) ⊠ Claim(s) <u>1-20</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-20</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.	
Application Papers		
9) The specification is objected to by the Examin 10) The drawing(s) filed on 15 September 2003 is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	s/are: a) ☐ accepted or b) ☑ object e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1 Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. Its have been received in Applicat ority documents have been received in Applicat (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 6/14/05.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	

Application/Control Number: 10/662,504 Page 2

Art Unit: 3727

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the container insert with an open end sealed in a nipple and having a plurality of additional open ends with sealing members, as claimed in claims 5 and 14, the open ends unsealed by agitation as claimed in claim 6, and the sealing members having a plurality of push rods extending into the nipple as claimed in claims 7, 16 and 18, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Application/Control Number: 10/662,504

Art Unit: 3727

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Page 3

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

2. The disclosure is objected to because of the following informalities: There doesn't appear to be any brief description for Figure 5J.

Application/Control Number: 10/662,504 Page 4

Art Unit: 3727

Appropriate correction is required.

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: There doesn't appear to be any clear antecedent basis for an arrangement where there are a plurality of push rod received in the nipple as claimed in claims 7, 16 and 18. It isn't clear how applicant arranges the push rods such that there are a plurality extending in the nipple.

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 5-9 and 14 are rejected under 35 U.S.C. 112, first paragraph, because the best mode contemplated by the inventor has not been disclosed. Evidence of concealment of the best mode is based upon the lack of description of an embodiment in which an open end is sealed by insertion into the nipple in claim 1 and also has a plurality of openings sealed by sealing members, as claimed in claim 5 and thus 6-9 and also wherein the plurality of sealing members are dislodged by removal from the nipple as claimed in claim 14. Although an additional opening is disclosed it only has one sealing member so it isn't clear what constitutes the additional sealing members.

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

⁽a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Application/Control Number: 10/662,504

Art Unit: 3727

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 2, 4, 5, 11, 12 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kaesemeyer.

Kaesemeyer teaches a bottle for fluids 12 and nipple 72 with a container insert 14. Note the bottom seal at 18 with castellations at 58, 64. The insert is considered to be closed by insertion in the nipple and collar assembly. To have made the assembly unitary in the manner of the prior art discussed by applicant would have been obvious.

6. Claims 1-3 and 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hurst.

Note Figure 6 of Hurst showing the container insert 47 received in the nipple 34. The insert is dislodged from the nipple with application of pressure on the nipple. Note the push rod 61 in Figure 9.

7. Claims 1, 2, 5, 7, 8 11, 12, 14 and 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Caola 802, cited by applicant.

To have used the container insert with Caola with a unitary nipple collar assembly such that the top is sealed in the nipple would have been obvious. Note the push rod 20 in the nipple.

8. Claims 11 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1 and 10 above, and further in view of Kaesemeyer.

To have formed the container insert with both upper and lower open ends in the manner taught by Kaesemeyer would have been obvious.

9. Claims 6 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 5 and 11 above, and further in view of Cronan.

Application/Control Number: 10/662,504 Page 6

Art Unit: 3727

To have optionally provided the container insert with end seas released by agitation would have been obvious in view of such teaching by Cronan

- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Guild, Greenspan, Seunevel, Lipari, Barton, Schein et al, Herrmann, Roth et al and Phlaphongphanich show nursing bottle assemblies. Morane, Babcock, Warby et al and Maekasa et al show other container assemblies
- 11. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

Certificate of Mailing

Certificate of Transmission

Commissioner for Patents

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

P.O. Box 1450 Alexandria, VA 22313-1450	
on (Date)	
Typed or printed name of person signing this certificate:	
Signature:	
Registration Number:	·

Art Unit: 3727

I hereby certify that this correspondence is be Trademark Office, Fax No. (703) (Date)			nt and
Typed or printed name of person signing this	certificate:	_	
Signature:			-
Registration Number:		-	

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sue A. Weaver whose telephone number is (571) 272-4548. The examiner can normally be reached on Tuesday-Friday (6-4:30).

The fax phone number for the organization where this application or proceeding is assigned is 571 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sugal Modern Princip Exeminer

And the second second second